

# veterinaruli medikamentebis formulari

gamocema saqarTvelos respublikisaTvis

## winasityvaoba

es veterinaluri medikamentebis formulari Seiqmna, raTa daxmareba gauwios veterinarebs pirutyvis movlaSi saqarTvelos respublikaSi. misi mizania uzrunvelyos informacia medikamentebze, romelic swrafad xelmisawvdomi iqneba praqtkuli gamoyenebisaTvis. wamlebis CamonaTvali mocemulia originali medikamentis saxelwodebebis mixedviT. CamonaTvalSi mocemulia sxva samarko saxelebic.

formulari Seicavs farmacevtuli da biologiuri erTeulebis CamonaTvals yoveldRiuri moxmarebisaTvis. dozireba, rogorc wesi, gansxvavebulia wyaroebis mixedviT: mwarmoebeli, veterinaruli wignebi, statiebi Jurnalebidan, leqciebi da simpoziumis Canawerebi, klinikuri eqsperimentebi da sxva. am formularis momxmareblebma unda icodnen, rom medikamentebis umravlesobas gaaCnia dozirebis sxvadasxva variantebi da doza, romelic am formularSi iqneba mocemuli, aris mxolod SemoTavazebuli rCeva da ara erTaderTi doza. iyo medeloba gakeTebuliyo dozirebis variantebi sxvadasxva cxovelebisaTvis mg/kg-Si, magram zogierT SemTxvevaSi CamonaTvalSi Seva saSualo doza erT cxovelze. ukanaskneli meTodi ar aris maineddamainc sasurveli, magram xandaxan erTaderTi informaciaa dozirebisa, romelic xelT gvaqvs. erTi abi ZaRliSaTvis miesadageba saSualo zomas (14 kg-iani ZaRli) da dozireba- 15-30 ml ZroxisaTvis niSnabs, rom 15 ml unda mieces patara Zroxas (230-275 kg) da 30 ml ki mozrdil Zroxas (450-550kg).

dozirebas Tan dakavSirebuli nebismieri gaurkvevlobis SemTxvevaSi mimarTeT internets an veterinaruli farmaciis teqstebs. yuradReba miaqcieT nebismier da yvela TariRs, rac miniSnebulia medikamentze vadis gasvlis aRsaniSnavad yvela im cxovelisTvis, romelic kvebis mrewvelobaSi gamoiyeneba.

gulwrfelad gvjera, rom winamdebare naSromi sasargeblo aRmoCndeba Cveni kolegebisaTvis saqarTveloSi. gTxovT, daubrkoleblad dagvikavSirdeT eleqtronuli fostis saSualebiT nebismieri SekiTvisa, komentarisa Tu rCevisaTvis.

momzadebulia:

qeTi stenerodenisa (medicinis mecnierebaTa doqtori, cxovelTa populaciis janmrTelobis instituti, kolorados saxelmwifo universiteti. el-fosta: [katie.steneroden@colostate.edu](mailto:katie.steneroden@colostate.edu))

da

ed vidalisis (veterinariis doqtori. bukhornis veterinaruli praqtika. fort kolinzi, CO80521 aSS. el-fosta: [wydallis1@gmail.com](mailto:wydallis1@gmail.com)) mier.

### **Acepromazine maleate- acepromizani melieti**

sxva dasaxeleba: acetilpromazini melieti, ace, notesili, atraveti		
gamoyeneba:	trankvilizatori, pre-anestetiki, sedativi	
dozis forma:	10mg/ml, 50 ml boTli	
doza:	cxeni	0.01 – 0.08 mg/kg IV, IM, SQ
	msxvifexa	0.05 - 0.1 mg/kg IV, IM, SQ
	Rori	0.03 – 0.2 mg/kg IV, IM, SQ
	ZaRli, kata	0.03 – 0.25 mg/kg IV, IM, SQ,
	ZaRli, kata	1.1 – 2.2 mg/kg PO
SeniSvna: mcire doza IV gziT, ufro didi doza IM da SQ gziT. maqsimaluri doza 3 mg-ZaRli da 1 mg- kata.		

### **Amoxicillin-amoqsicilini**

sxva dasaxeleba: amoqsicilini, p-hidroxqsiampicilini, BRL, amoqsili		
gamoyeneba	farTo speqtris antibiotiki	
dozis forma:	oraluri	50,100,200,400mg/abebi 50 mg/ml suspenzia, 15 ml boTli
doza:	ZaRli, kata	10-20 mg/kg- erTxel dReSi da 3jer dReSi
SeniSvna:		

### **Aspirin- aspirini**

sxva dasaxeleba: asa, acetilsalis mJava, acetilsalicilis mJava, acidum acetilsalicili, polopirina, an salicilis mJavis acetati		
gamoyeneba:	analgetiki, antifiretiki, anti-anTebiT	
dozis forma:	oraluri	81mg/abi 325 mg/abi
doza:	cxeni	25 mg/kg pirvel dRes, Semdeg 10 mg/kg dRiurad
	Rori	10 mg/kg q 6 saaTSi
	msxvifexa, Txa	50-100 mg/kg q 12 saaTSi
	ZaRli	10-25 mg/kg q 12 saaTSi
	kata	10 mg/kg yovel meore dRes
SeniSvna: mieciT sakvebTan erTad. SewyviteT micema gastrituli garTulebis SemTxvevaSi		

**Atropine-atropini**

sxva dasaxeleba: atropinis sulfati

gamoyeneba: pre-anesteziuri, bradikardia, organofosfati antidoti

dozis forma: ineqcia 0.5 mg/ml ,15 mg/ml

doza: ZaRli, kata 0.02-0.04 mg/kg IV, SQ, IM

ZaRli, kata organofosfati mowamvla 0.2-0.5 mg/kg. mieciT dozis  $\frac{1}{4}$  IV da danarCeni IM an SQ

SeniSvna:

**Bismuth Subsalicylate-vismut subsalicilati**

sxva dasaxeleba: vismut oqsisalicilati, vismut salicilati, bismatroli, bismedi, bismaliti, bisvali, iatroksi, kalbeteni, kaofeqtati, katulcin-r, peptikuri saSualeba, vardisferi biskoati, vardisferi vismut vardi, ulkolindi vismuti.

gamoyeneba: anti-safaRaraTo

dozis forma: suspenzia oraluri miRebisTvis 1.75% (17.5 mg/ml)

doza: cxeni, Zroxa 6-10 uncia yovel 2-3 saatTSi

kvicebi, xboebi 100ml tid-qid

ZaRlebi 1 ml/5kg tid 5 dRemde

goWebi 2-5 ml, bid-qid ori dRe

SeniSvna:

**Butorphanol-butorfanoli**

sxva dasaxeleba: butorfanolis tartarati, torbugeziki, torbutroli, levo-bs-2627

gamoyeneba: analgetiki, pre-anesteziuri, xvelebis sawinaaRmdego

dozis forma: ineqcia, oraluri 10/mg/ml, 50 ml boTli  
5 mg abebi

doza: cxeni 0.02-0.05 mg/kg IV

pirutyvi 0.05 mg/kg q 6-8 saatTSi IV

ZaRli- anelgetiki 0.1-1.0 mg/kg IV IM, SQ, PO q 1-4 saatTSi

ZaRli-pre-anesteziuri 0.05mg/kg IV  
0.2-0.4 mg/kg IM

ZaRli- xvelebis sawinaaRmdego 0.5-1.0 mg/kg PO tid-qid

kata-anelgetiki 0.1-1.0 mg/kg IV, IM, SQ q 1-3 saatTSi

kata- pre-anesteziuri 0.25-0.5 mg/kg SQ an IM

SeniSvna: gamoiyeneT yvelaze patara doza IV-Tvis abstinencia xorcze- 38 saatTi, rZeze- 48 saatTi

<b>Chloramphenicol-qloramfenikoli</b>		
sxva dasaxeleba: qloramfenikolis sodium suqsinati, qloramfenikolumi, kloramfenikoli, levomicetinumi		
gamoyeneba:	farTo speqtris antibiotiki	
dozis forma:	oraluri, ineqcia	250 mg da 500 mg abi 1 mg boTli
doza:	cxeni	100 mg/kg POsawyis etapze, 50 mg/kg tid
	ZaRli	25-60 mg/kg IV, IM, SQ, PO tid
	kata	25-50 mg/kg PO, IV, IM, SQ bid-qid
SeniSvna: ar gamoiyeneba cxovelebSi, romelTac sakvebi daniSnuleba aqvT. gamoiyeneT xelTaTmani fxvniliT, SeuZlia gamoiwvios fataluri aplastikuri anemia adamianebsi.		

<b>Chorionic gonadotropin (HCG)- qorionuli gonadotropini</b>		
sxva dasaxeleba: sg, qoriogonadotropini, qorionuli gonadotropinumi, qorionikumi, gonadotropinumis qorionukumi, hsg, fexmZimoba- urinaluri hormoni, foluteini.		
gamoyeneba:	hormoni, gazrdili libido, cistiuri sakvercxeebi, ovulaciis gaZliereba	
dozis forma:	ineqcia	1000 erTeuli/ml, 10 ml
doza:	cxeni	
	Zroxa	1,000-5,000 erTeuli IV, 10,000 erTeuli IM
	cxvari	250-500 erTeuli, IV, 2,000 erTeuli IM
SeniSvna: gaecaniT instruqcias dozirebis Taobaze		

<b>Dexamethasone-deqsametazoni</b>		
sxva dasaxeleba aziumi, dekadroni, desameTsoni, deqsametazoni, deqsametazonum, 9alfa-fluoro-16 alfa-meTilpredniziloni, heqsadekadroli.		
gamoyeneba:	kortikosteroiduli Terapia	
dozis forma:	ineqcia, oraluri	2 mg/ml, 100 ml boTli 4 mg/ml 4 mg abebi
doza:	cxeni, Zroxa, Rori	0.1 mg/kg IM
	ZaRli, kata	0.28 to 2.2 mg/kg PO an IM
SeniSvna: SeuZlia mSobiarobis daCqareba- cxeni, Zroxa, cxvari, Txa. 4 mg/ml aris deqsametazonis sodiumis fosfati mxolod IV gamoyenebisaTvis.dozebi icvleba imis mixedviT Tu ra mdgomareobaa samkurnalo. yovelTvis mimarTeT Sesabamis literaturas swori dozirebisa da Terapiis xangrZlivobisTvis.		

### Dextrose-deqstrozi

gamoyeneba:	kveba, hipoglikemiis mkurnaloba, ketosisi.	
dozis forma:	fxnili, nemsi	50%, 50 da 500ml boTli
doza:	mozrdili Zroxa	500 ml 50% xsnari IV an SQ
	cxvari	200 ml 50% xsnari IV an SQ
	cxeni	500 ml 50% xsnari IV an SQ
	pediatruli ZaRli, kata	1-5 ml 50% xsnari SQ

SeniSvna: deqstrozis erT gramze daaxloebiT 4 kaloria. roca boTli ukve gaxvretilia, SeinaxeT macivarSi da moixmareT SigTavsi 48 saaTis ganmavlobaSi. 48 saaTis Semdeg gadaagdeT.

### Doxycycline-doqsiciklini

sxva dasaxeleba: doqsiciklinis monohidrati, doqsiciklinum, gs-3065, vibramicini, doriqsi, monodoqsi, periostati, vibra-tabi, doqsirobi.

gamoyeneba:	xangrZlivi moqmedebis, farTo speqtris tetraciklini	
dozis forma:	oraluri	100 mg abi (xsnari xSirad abebs Seicavs)
doza:	cxeni	10 mg/kg PO bid
	frinveli	22-50 mg/kg PO bid
	ZaRli, kata	5-10 mg/kg PO dReSi erTxel an orjer

SeniSvna:

### Epinephrine-epinefrini

sxva dasaxeleba: adrenalini

gamoyeneba:	kardialuri gamococxleba, mwwave alergiuli reaqcia (anafilaqsi)	
dozis forma:	ineqcia	1:1000 xsnari, 30 ml boTli
doza:	cxeni- gamococxleba, reanimacia (kvici)	0.01-0.02 mg/kg <u>1:1000</u> xsnari IV q 3 wuTi
	cxeni- anafilaqsi	3-5 ml 450kg-ze. IM an SQ
	Zroxa- anafilaqsi	0.5-1.0 ml/45 kg <u>1:1000</u> xsnari IM an SQ q 15wT
	cxvari, Rori- anafilaqsi	1-3 ml <u>1:1000</u> xsnari IM an SQ
	ZaRli, kata- reanimacia	0.5-5ml <u>1:10,000</u> xsnari IV an IT
	ZaRli, kata- anafilaqsi	0.01-0.02mg/kg <u>1:10,000</u> IV, IM, SQ

SeniSvna: 1:10,000 koncentraciisaTvis gaazaveT 1:1,1000 xsnaris 1 ml 9 ml normalur marilwyalSi

<b>Erythromycin-eriTromicini</b>		
sxva dasaxeleba: eritromicina, eriTromicinum		
gamoyeneba:	makroliduri antibiotiki	
dozis forma:	oraluri	250 mg, abebi
doza:	kvici	22 mg/kg PO bid-qid
	ZaRli, kata	11-22 mg/kg PO tid sakvebis mcire dozasTan erTad
SeniSvna:		

<b>Fenbendazole- fenbedazoli</b>		
sxva dasaxeleba: panakuri, hoe-88 1V, <i>seif-gardi</i>		
gamoyeneba:	WiissawinaaRmdego	
dozis forma:	oraluri	10% xsnari, 1000 ml boTli
doza:	cxeni	5 mg/kg PO dReSi erTxel 5 dRis ganm. mcire da didi strongilidi, maxvila 10 mg/kg PO dReSi erTxel 5 dRis ganm askaridebis kontrolisaTvis
	pirutyvi	5-7.5 mg/kg
	Rori	5 mg/kg dReSi erTxel 3 dRis ganm.
	cxvari, Txa	5 mg/kg dReSi erTxel 3 dRis ganm
	ZaRli (askarida, lamblia, maxvila)	50 mg/kg PO dReSi erTxel 3 dRis ganm.
	kata (askaridozi, lamblia)	50 mg/kg PO dReSi erTxel 3 dRis ganm.
SeniSvna: gaimeoreT mkurnaloba 3 kviraSi da iseV 3 TveSi. gaecaniT instruqciias dozirebisTvis		

<b>Firococab-firokokibi</b>		
sxva dasaxeleba: eqvioqsi, previkoqsi		
gamoyeneba:	anelgetiki, anTebissawinaaRmdego	
dozis forma:	cxenis pasta ZaRlis abebi	0.82% pasta (6.93 gr tubiki) 57 mg da 227 mg saReWi abi
doza:	cxeni	CasatvirTi doza 0.3 mg/kg –pirvel dRes, Semdeg 0.1 mg/kg dReSi erTxel 14 dRis ganm.
	ZaRli	5 mg/kg q 24 saaTSi
SeniSvna:		

<b>Florfenicol-florfenicoli</b>		
sxva dasaxeleba: nuflori, sC-25298		
gamoyeneba:	farTo speqtris antibiotiki	
dozis forma:	ineqcia	300 mg/ml, 100 ml boTli
doza:	Zroxa	20 mg/kg IM meore doza unda miiRos 48 saaTis Semdeg 40 mg/kg kanqveS rogorc erTjeradi ineqcia
	cxvari/Txa	20 mg/kg erTxel dReSi 2 dRis ganm.
	ZaRli	25-50 mg/kg IM, SQ dReSi erTxel 3-5 dRis ganm.
	kata	25-50 mg/kg IM, SQ bid 3-5 dRis ganm.
SeniSvna: gaukeTeT mxolod kisris muskulaturaSi, ara umetes 10 ml-sa erT adgilas, xorcis abstinencia intramuskularulad 28 dReSi, kanqveS- 38 dReSi		

<b>Fluconazole-flukonazoli</b>		
sxva dasaxeleba: uk- 49858, diflukani		
gamoyeneba:	sokos sawinaaRmdego	
dozis forma:	oraluri	100 mg abebi
doza:	ZaRli	2.5-5 mg/kg q 24 saaTSi PO 56-84 dRis ganm.
	kata	2.5-10 mg/kg q 24saatSi PO
	frinveli	5-10 mg/kg q 24 saaTSi PO 6 kviris ganm.
SeniSvna:		

<b>Flunixin meglumine- fluniqsin meglumini</b>		
sxva dasaxeleba: 3-piradini-karboqsidis mJava, sC-14714, finadaini, banamini		
gamoyeneba:	anTebissawinaaRmdego, anelgetiki	
dozis forma:	ineqcia oraluri	50 mg/ml, 100 ml boTli 1.5 gr pasta Sprici
doza:	cxeni	1.1 mg/kg IV, IM erTxel dReSi 5 dRis ganm.
	pirutyvi	1.1-2.2 mg/kg IV, IM erTxel dReSi 5 dRis ganm.
	ZaRli	0.5-2.2 mg/kg IM an IV mxolod erTxel
SeniSvna: abstinencia intravenuli IV: xorci- 4 dRe, rZe 72 saaTi, IM an SQ: xorci 10 dRe,		

<b>Furosemide-furosemidi</b>		
sxva dasaxeleba: laziqsi, saliqsi, frusemidi, furosemidumi, lb-502		
gamoyeneba:	Sardmdeni	
dozis forma:	ineqcia, oraluri	50 mg/ml, 100 ml boTli 12.5, 50 mg abebi; 10 mg/ml. xsnari, 60 ml
doza:	cxeni, Zroxa	0.5-1.0 mg/kg IM an IV 2.2 – 4.5 mg/kg dRiurad, PO
	ZaRli, kata	2.2-4.4 mg/kg PO, IV,IM dReSi erTxel an dReSi orjer
SeniSvna:		

<b>Gentamicin-gentamicini</b>		
sxva dasaxeleba: gentamicin sulfati, gentamicini sulfas, nsc- 82261, sC-9724		
gamoyeneba:	aminoglikozidi antibiotiki	
dozis forma:	ineqcia	100 mg/ml 50mg/ml
doza:	cxeni, ZaRli	6.6 mg/kg, rogorc erTjeradi dRiuri doza IM, IV or SQ
SeniSvna: ar gamoiyeneba cxovelebSi, romelTac sakvebad moixmaren. intravenulad gamoyenebis SemTxvevaSi, imoqmedeT nela. xangrZlivi moxmarebisas gamoiCineT sifrTxile nefrotoqsitis Tavidan asarideblad.		

<b>Gonadorelin- gonadorelini</b>		
sxva dasaxeleba: folikurli mastimulirebeli hormoni- deblokirebis faqtori, gnrh, gonadoliberini, gonadorelinumi, gonadotropini- deblokirebis hormone, hoe-471, lh/fS-rf, lh-fS-rh, lh-rh, luliberini, malutinizirebeli hormongamaTavisuflebeli faqtori, kriptokuri, fertirali, hrf, luforani, luteliberina, lutrefaqti, parlilo, pulsti, parlib, relefqaqtı lh-rh, stimu- lh		
gamoyeneba:	cistituri sakvercxeebi da sxva reproduuciuli aSlilobani	
dozis forma:	ineqcia	50 mcg/ml, 10 ml boTli
doza:	Zroxa	100 mcg/Zroxa, IM an IV
	ZaRli	50-100 mcg IM dRiurad 3 dRis ganm.
SeniSvna: SesaZloa gamoyenebul iqnas HCG-s magivrad		

<b>Iron Dextran-rkinis deqstrani</b>		
sxva dasaxeleba: rkinis deqtranis kompleksi, kosmoferi, decironi, drikeni, ferkaili, feroceli,		

feroini, ferum hausmani, feqsironi, imferdeqsi, imferoni, infuferi.		
gamoyeneba:	hematinuri ineqcia	
dozis forma:	ineqcia	100 mg rkina/ml, 100 ml boTli
doza:	cxeni, Zroxa, cxvari	2.22 mg/kg IM
	goWi	200 mg IM gaimeoreT 10-14 dReSi (mkurnaloba) 100-150 mg IM 1-dan 3 dRemde (prevencia)
	ZaRli, kata	11-22 mg/kg erTxel
SeniSvna:		

<b>Ivermectin-ivermeqtini</b>		
sxva dasaxeleba: ivomeki, eqvimaqsi, eqvalani, meltra, meqizani, reveqtina, sekuro		
gamoyeneba:	anti-parazituli	
dozis forma:	ineqcia  oraluri pasta. oraluri abi, dasalevi	10 mg/ml (1%), 2.7 mg/ml (.27%) 18.7 mg/gm (1.87%) 55,68,136,165 mcg 5mg/ml
doza:	cxeni	0.2 mg/kg PO
	Zroxa- ineqcia	0.2 mg/kg SQ rogorc erTjeradi doza
	Rori-ineqcia	0.3 mg/kg SQ rogorc erTjeradi doza
	ZaRli – sarkofsidi, muni	0.3 mg/kg SQ or PO, gaimeoreT 14 dReSi.
	ZaRli – demodikozi	0.3-0.4 mg/kg PO dRiurad, 2-4 Tve
SeniSvna:	10 mg/ml (1%)ineqcia SeiZleba misceT oralurad ZaRlebs, rogorc samkurnalo saSualeba munis an demodikozuri munis winaaRmdeg.	

<b>Ketamine hydrochloride-ketamini hidroqloridi</b>		
sxva dasaxeleba: CI-581, CL-369, CN-52372-2, ketamini hidroqloridum, brevinaze, kalifsoli, qosti, indusmina, keta, keta-hamelni, ketalini, ketanesti, ketava, kefina, ketmini, ketoroli, velonarkoni, ketaseti, ketavedi, vertalari.		
gamoyeneba:	anestezia	
dozis forma:	ineqcia	100 mg/ml, 10 ml. boTli
doza:	cxeni	2 mg/kg IV, 5 wuTis Semdeg 1 mg/kg IV qsilazini
	Rori	6-11 mg/mg IM sedativis an damawynarebelis Semdeg an masTan erTad
	ZaRli	10-21 mg/kg IM 2.2-4.4 mg/kg IV
	kata	6-10 mg/kg IV

		daWimva: 11 mg/kg IM anestezia: 22-33 mg/kg IM
SeniSvna: cxenSi-gamoyieneT mxolod qsilazinTan erTad abstinenciis dro: xorci- 3 dRe, rZe- 48 saaTi. qsilazini qirurgiuli anesteziis dros gamoyieneba		

<b>Levothyroxine-levoTiroqsini</b>		
sxva dasaxeleba- t 4, t4 Tiroqsinis sodiumi, levoTiroqsinis natriumi, levoTirocinum natrikumi		
gamoyeneba:	hipoTroidizmi	
dozis forma:	oraluri	0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.8, 1.0 mg abebi
doza:	ZaRli	0.022 mg/kg dReSi orjer PO
SeniSvna: CaatareT Srati t4 doneze vidre Terapias daiwyebdeT. mkurnaloba xangrZlivia.		

<b>Lidocaine-lidokaini</b>		
sxva dasaxeleba: lidokaini hidroqloridumi, lianokaini hidroqloridi, qsilokaini.		
gamoyeneba:	lokaluri, regionuli da topikuri anestezia	
dozis forma:	ineqcia	2% - 50, 100, 250 ml boTli
doza:	ZaRli	1.0 ml/kg
	cxeni	15-20 ml/45 kg
	Zroxa	15-20 ml/45 kg
SeniSvna: sasurveli abstinencia xorcisTvis da rZisTvis 48 saaTi.		

<b>Oxytetracycline-oqsitetraciklini</b>		
sxva dasaxeleba: glomicini, hidroqsitetaciklini, ocitetrasiliniumi, riomicini, terafungini		
gamoyeneba:	farTo speqtris antibiotiki	
dozis forma:	ineqcia  oraluri- abebi	100 mg/ml  200 mg/ml (LA-200)  250 mg/abi
doza:	Zroxa	5-10 mg/kg IM q 24 saaTSi an  20 mg/kg <u>q48-72saaTSi (LA200)</u>
	ZaRli da kata	20 mg/kg dReSi samjer
	cxvari, Rori, Txa	6-11 mg/kg IV an IM  10-20 mg/kg PO qid
SeniSvna: abstinencia: xorci- 28 dRe, rZe- 120 saaTi. tetraciklinis gamoyenebam cxenebSi SesaZloa gamoiwvios intraqtuli faRaraTi. gamoyieneT fexmZimobis mxolod bolo naxevarSi, radgan SeiZleba gamoiwvios embrionuli kbilebi da Zvlebi. ar gamoyienoT axalgazrda cxovelebSi.		

<b>Oxytocin-oqsitocini</b>		
sxva dasaxeleba: alfa-hipofamini, oqsitocinumi.		
gamoyeneba:	saSoseuli winaaRmdegobebis gaZliereba mSobiarobis dros (OB). mSobiarobisSemdgomi Sekavebuli placenta (RP), mwvave mSobiarobisSemdgomi mertiti (M), rZis gaSroba (MLD).	
dozis forma:	ineqcia	20 erTeuli/ml 100 ml boTli
doza:	cxeni	OB: 2.5-5 erTeuli kvicis dabadebamde 15-20 wuTiT adre. RP: 20 erTeuli IV an IM mSobiarobidan 2-3 saaTis Semdeg M: 20 units IM tid-qid 2-3 dRis ganm.
	Zroxa	IM, saWiroebis SemTxvevaSi gaimeoreT 30 wuTiT Semdeg. RP: 40-60 erTeuli q 2 saaTi M: 20 erTeuli IM tid-qid 2-3 dRis ganm. MLD: 10-20 erTeuli IV
	cxvari, Txa	RP: 10-20 erTeuli M: 5-10 erTeuli IM tid-qid 2-3 dRis ganm.
	Rori	MLD: 20-40 erTeuli IM tid-qid RP: 20-30 erTeuli q 2-3 saaTi OB: 10 erTeuli IM saWiroebis SemTxvevaSi gaimeoreT 30 wuTiT Semdeg
	ZaRli	OB: 0.5-3 erTeuli SQ an IM q30-60 wuTi M: 0.5-1 unit/kg IM. SegiZliaT gaimeoreoT 1-2 saaTSi.
	kata	OB: 0.25-1 erTeuli SQ an IM q 30-60 wuTi
Note:		
<b>Penicillin G Procaine- penicilin g prokaini</b>		
sxva dasaxeleba: benzilpenicilini, kristalin penicilin g, kristacilini, pen-aqueosi, mikrocilini, pfai-pen g, agri-cilini, aquacilini.		
gamoyeneba:	gram-pozoturi ineqciebi	
dozis forma:	ineqcia:	300,000 units/ml wylis xsnari, 100 da 250 ml boTli
	cxeni	0.7 -0.15ml/kg IM, SQ bid
	msxvilfexa	0.15-0.22 ml/kg IM, SQ, dReSi erTxel
	Rori	0.13 ml/kg IM, SQ, dReSi erTxel
	ZaRli	0.06 ml/kg IM, SQ q 24-48 saaTi
doza:	yvela saxeoba	Sesayvani doza 40,000 erTeuli/kg IM (14mls/100 kg); then 20,000 units/kg (7 mls/100 kg ) dReSi erTxel an orjer IM
SeniSvna: abstinencia: xorci- 30 dRe, rZe- 48 saaTi. dakvla- 10 dRe.		

<b>Permethrin-permiTrini</b>		
sxva dasaxeleba: permiqtrin 2		
gamoyeneba:	gare da teritoriis inseqticidi (mwersawinaaRmdego)	
dozis forma:	sprei	11% koncentrati, 32 oz boTli
doza:	msxvifexa	gamoiyenebisas gaecaniT instruqciyas
SeniSvna:	sinTetikuri pireTrini, kargi rezidualuri aqtiviba kanis Semwovobis gamo.	

<b>Phenylbutazone-fenilbutazoni</b>		
sxva dasaxeleba: butadioni, fenibutazongi, fenilbutazonumi, fenilbuti, butajeqtii, butazolidini		
gamoyeneba:	anTebissawinaaRmdego	
dozis forma:	ineqcia oraluri oraluri	200 mg/ml, 100 ml boTli 1 gr abi 12 gr pasta
doza:	cxeni	3.0-6.0 mg/kg IV dReSi erTxel 4.4-8.8 mg/kg PO dReSi erTxel  1-2 gr pasta dReSi erTxel an orjer
	Bovine	2-5 mg/kg IV 4-8 mg/kg PO 2-4 gr pasta dReSi erTxel an orjer
	Ovine	5 mg/kg dRiurad IV an PO
	Swine	4 mg/kg dRiurad IV an PO
	Dog	1-5 mg/kg PO tid, (maqsimum 800 mg/dReSi)
SeniSvna:	cxenis pastis doza gankuTvnilia 400-500 kg cxenisaTvis- doza daaregulireT ufro didi an ufro patara zomis cxenebisaTvis. SewyviteT micema rogorc ki gaumjobesebas SeatyobT, radgan arsebobs Tirkmlis dazianebisa da kuWis wylulis riski. gaakeTeT ineqcia mxlod forma IV-iT.	

<b>Povidone-Iodine-povidon-iodini</b>		
sxva dasaxeleba: betadini, etodini		
gamoyeneba:	topikuri antiseptiki	
dozis forma:	topikuri	xsnari, qirurgiuli skrabi malamo, 0.9 gramiani paketi, 1 funtiani WurWeli

doza:	
SeniSvna:	

<b>Praziquantel-praziquanteli</b>		
sxva dasaxeleba: dronciti		
gamoyeneba:	cestocidi	
dozis forma:	ineqcia oraluri	56.8 mg/ml, 10 ml boTli 23 mg tubiki (kata) 34 mg tubiki (ZaRli)
doza:	ZaRli kata	gamoyenebisas mimarTeT instruqciias
SeniSvna:		

<b>Prednisolone-prednizoloni</b>		
sxva dasaxeleba: deltahidrokortizoni, metakortadraloni		
gamoyeneba:	kortikosteroiduli Terapia, anti-anTebiTi	
dozis forma:	oraluri	5 mg and 20 mg abebi, xsnari-oraluri
doza:	cxeni	1 mg/kg dReSi vidre dasustdeba
	ZaRli, kata	0.5 – 2.0 mg/kg PO dReSi erTxel an orjer
Note:		

<b>Prednisone-prednizoni</b>		
sxva dasaxeleba: delta (1)-kortizoni, 1,2 dehidrokortizoni, deltakortizoni, deltadehidokortizoni, deltadehidrokortizoni, metakortandracini, NSC-10023, prenizonomi, deltazoni.		
gamoyeneba:	kortikosteroiduli Terapia, anti-anTebiTi	
dozis forma:	oraluri	5 mg da 20 mg abi, xsnari-oraluri
doza:	ZaRli, kata	0.5-2.0 mg/kg PO dReSi orjer
SeniSvna:	ar aris efeqturi cxenebSi.	

<b>Sulfadimethoxine-sulfadimeToqsini</b>		
sxva dasaxeleba: sulfadimetosina, sulfadimetoptirimidina, sulfadimeToqsini, qemisolfa, deltini, pisulpiri, ritasulfa, sulfadreni, sulfastopi, sulfaToxi, alboni		
gamoyeneba:	xangrZlivi moqmedebis antibiotiki	
dozis forma:	ineqcia oraluri oraluri oraluri	400 mg/ml 250 mg abebi 94.6 gr paketi 50 mg/ml suspenzia

doza:	yvela saxeoba	55 mg/kg rogorc pirveli doza da Semdeg 25 mg/kg dRiurad PO, IV
SeniSvna: abstinencia: xorci- 28 dRe, rZe- 120 saaTi		

<b>Trimethoprim/sulfadiazine-trimeToprimi/sulfadiazine</b>		
sxva dasaxeleba: ko-trimoqsazoli, SMX-TMP, TMP-SMX, trimeToprim-sulfametoqsazoli, sulfadiazine-tromeToprimi, trimeToprim-sulfadiazini, TMP-SDZ, SDZ-TMP, ko-trimazini, tribriiseni		
gamoyeneba:	gaZlierebuli antibiotiki	
dozis forma:	oraluri	480 mg da 960 mg abebi. 48 mg/ml oraluri suspenzia. kombinaciuri produqt: erTi wili trimeToprimi da 5 wili sulfametoqsazoli
doza:	cxeni	15-30 mg/kg bid PO
	ZaRli	15-30 mg/kg bid PO
	kata	15-30 mg/kg bid PO
SeniSvna:		

<b>Tylosin-tilozini</b>		
sxva dasaxeleba: tilani		
gamoyeneba:	makroliduri antibiotiki	
dozis forma:	ineqcia oraluri fxvnili	200mg/ml 25 gr /318.6 gr boTli
doza:	goWi	8.8 mg/kg IM orjer dReSi
	ZaRli	11 mg/kg tid PO (daaxloebiT 1/4 kovzi fxvnili 4.5 kg-ze.
SeniSvna:		

<b>Vitamin A- vitamini a</b>		
gamoyeneba:	kveba	
dozis forma:	ineqcia	500,000 IU/ml vitamin d 3-Tan erTad.
doza:	65 IU/kg dRiurad minimaluri moTxovna	
	Zroxa	2-4 ml, IM
	cxvari, Rori	0.1-2.0 ml IM
SeniSvna: vitamini a-s naklebobis dros piruttyvSi, romelsac aklia adeqvaturi mwvane foTlovani mcenareuli sakvebi an Wams Tivas, romelic ganoyierebulia nitrogeniT.		

### Vitamin B Complex- vitamini b kompleksi

gamoyeneba:	kveba	
dozis forma:	ineqcia	100 ml boTli
doza:	cxeni	10-20 ml dRiurad IM an IV
	cxvari	3-5 ml dRiurad IM an IV
	Zroxa	10-20 ml dRiurad IM an IV
	Rori	2-5 ml dRiurad IM an IV
	ZaRli, kata	1-2 ml dRiurad IM an IV

SeniSvna: kargia nevrologiuri problemebis an sisustis dros.

### Vitamin E-vitamini e

sxva dasaxeleba: de-alfa-tokoperili

gamoyeneba:	kveba, antioqsidanti	
dozis forma:	oraluri	400 IU kapsula, 28,000 IU/oz boTli
doza:	cxeni	1 ml/45 kg IM an IV
	ZaRli	400 IU dReSi erTxel didi an saSualo cxovelebisTvis

SeniSvna: isargebleT anotaciiT. ecadeT moipovoT laboratoriis cnoba, rom pirutyvs nakleboba aqvs, vidre Terapias daiwyebdeT.

### Xylazine-qsilazini

sxva dasaxeleba: bai-va- 1470, rompuni, anasedi, trankvivedi, sedazini, qsilajekti

gamoyeneba:	sedatiuri, anelgetiki	
dozis forma:	ineqcia	20 mg/ml 100 mg/ml
doza:	cxeni	1-2 mg/kg IM 0.5-1.1 mg/kg IV
	Zroxa, cxvari, Txa	0.1-0.3 mg/kg IM sedatiuri doza: 0.03-dan 0.1 mg/kg-mde. IV
	Rori	2.2 mg/kg IV
	ZaRli, kata	1.1-2.2 mg/kg IV IM, SQ

SeniSvna: mcire dozebi IV, didi dozebi IM, SQ. pirutyvi, cxvari, Txa gansakuTrebiT

mgrZnobiarea qsilazinze- frTxilad gamoiyeneT mcoxnel cxovelSi.

adgilobrivi anesteziis instruqciebi qsilazinisTvis:

mcoxnelebi: qsilazini kunTSi an venaSi ufo maRali doziT vidre zemoT aris miTiTebuli gamoiwvevs woliT mdgomareobas mcoxnelebSi. igi gamoiyeneba sruli qimiuri daWimvisTvis qirurgiuli da abstetrikuli procedurebisTvis. mcoxneli daawvineT sternalurad SeZlebisdagvarad swrafad Torem SesaZloa cxovelma amoaRebinos da gasividse. es SesaZloa aRmoCndes. SecvaleT qsilazini tolazoliniT an iohimbiniT, Tu SesaZlebelia.

ZaRli: qsilazini xSirad iwvevs gulisrevas ZaRlebSi. miReba xdeba uzmoze, magram iyaviT  
Zalian frTxilad rom ar moxdes aspiracia. qsilazini iwvevs meorad centralur blokirebas  
ZaRlebSi. daakvirdiT kardiovaskularul aqtivobas rodesac iyenebT ZaRlebSi. xelT gqondeT  
Semcvleli agenti (iohimbini an tolazolini) da gulis gaCerebis medikamenti (atropini), rodesac  
ZaRlebze muSaobT.

cxeni: moklevadiani woliTi mdgomareobis/ qirurgiuli anestesiis misaRwevad: 1-2 mg/kg  
qsilazini intravenulad, daelodeT ramdenime wuTi, vidre cxens Tavi sagrZnoblad  
Camouvardeba da Semdeg mieciT 2-3 mg/kg ketamini intravenulad anestesiis gamosawvevad.  
medikamentebis es kombinacia gamoiwvevs woliT mdgomareobas 15-30 wuTis  
ganmavlobaSi, rac kastraciisTvis SesaniSnavi pirobaa.

gamoyenebuli samedicino abreviaturebi (Semoklebebi)

SID – dReSi erTxel

BID – dReSi orkjer

TID- dReSi samjer

QID – dReSi oTxjer

IV- intravenulad

IM - kunTSi

SQ – (kanqveS)

PO – per os (piriT, oralurad)

Q - every